

SELECT 60



WWW.MAGNOLIATURF.COM



FEATURED BENEFITS

W-BLADE

Select 6d wax designed to replicate the lush beauty of natural grass, specifically for landscape applications

The wave shape yarn system has a combination of field and alive green blades combined with a curly brown and tan thatch layer.

The W-Shaped blades eliminates weak paints in the fibers, creating an unprecedented split resistance.

The 1.57° pile height highlights all the beauty of a lush thick lawn that will be the envy of the neighborhood.



SELECT 82



CONTING POLYURETHING 20 GZ. PER 5Q. YD 101AL PRODUCT WEIGHT: 110 GZ.

PARTICULATE INFILL

TYPE: QUALITY INFILL WEIGHT: 1-3 LBS. PER SQ. FT. HEIGHT: APPROXIMATELY 5/2 IN - 3/4

MANUFACTURED ROLLS

WWW.MAGNOLIATURF.COM

WDTH: 15 FT. APPROXIMATE LENGTH: 82 FT. DRAINAGE RATE: >15 IN. PER HOL TRAFFIC: UDINT TO HEAP



FEATURED BENEFITS

Select 82 was designed to replicate the lush beauty of natural grass, specifically for kondicape applications.

The 5-shaped yars system has a cambination of field and alive green blades cambined with a curly brown and tan shape.

The 5-Shaped blacks eliminates weak paints in the fibers, creating an unprecedented split resistance.

The 1.77⁴ pile height highlights all the beauty of a lush thick iown that will be the ensy of the neighborhood.











TYPE MONOFLAMENT COMPOSITION'S TRUCTURE: POLYETHYLENE

PLEFACE WEIGHT 62 CZ. MACHINE GAUGE 1/2 N.

BACKING

PRIMARY BACKING: WOVEN POLYPROPYLENE SECONDARY BACKING: POLYUBETHING COMPOSITION/TRUCTURE: 21AVERS 13 PC BLACK BIELENT: 6-02, PERSQ VD.

FINISH COATING

CONTING POLYURIETHANE 20 GZ. TOTAL PRODUCT INEIGHT PERISO, VD. 91 GZ.

PARTICULATE INFILL

TYPE: QUALITY INFLL INFORM: 1-3 LBL PER SQ. FT. HEIGHT: APPROXIMATELY 5/2 IN - 3/4

MANUFACTURED ROLLS

WWW.MAGNOLIATURF.COM

WDTH: 15 FT. APPROXIMATE LENGTH: 100 FT. DRIMAGE RATE: 2400 IN. FER HO TRAFFIC: UDINT TO HEAVY



FEATURED BENEFITS

Solide with Lutter Guard® ribbed surface tenture is the lowest lutter UV stabilized surfaces in the industry. These microscopic sits eliminate the shiny micror effect which makes artificial grass look like plastic.

The ribbed blade also eliminates weak paints in the fibers creating unprecedented split resistance.

FLOW-THRU TURF DRAMAGE INTE PERMEASE & HOLD PURCHED WHEN BACKING









TYPE MONOFILAMENT COMPOSITIONS TRUCTURE POLYETHILENE

PLEFACE INSIDE: 62 CZ. MACHINE GAUGE: 1/2 N. TUPED PLE HEIGHT: 1.1 N.

BACKING

PRIMAR EACONS: WOREN POLYPROPILINE SECONDARY EACONS: POLYURETHANE COMPOSITION/TEACHINE: 21A/2618 13 PIC BLACK INEED/T: 602, PIK NO YO,

FINISH COATING

CONTING POLYURIETHANE 20 GZ. TOTAL PRODUCT INEIGHT PERISO, VD. 91 GZ.

PARTICULATE INFILL

TYPE QUALITY INFLL WEIGHT 1-3 LBS PIR 1Q, FT. HEIGHT APPROXIMITELY 1/2 IN - 3/4

MANUFACTURED ROLLS

WWW.MAGNOLIATURF.COM

WDTH: 15 FT. APPROXIMATE LENGTH: 100 FT. DRXINAGE RATE: HOD IN. PER HO TRAFFIC: UDHT TO HEAD





FEATURED BENEFITS

5 blade with Luster Guard¹⁴ ribbed surface tonure is the lowest luster UV stabilized turf yors in the industry. These microscopic sits eliminate the shiny micror effect which makes artificial grass look like plastic.

The ribbed blade also eliminates weak paints in the fibers creating unprecedented split resistance.

FLOW-THRU TURF DRAMAGE INTE PERMEASE & HOLD PURCHED WHEN BACKING







SUPREME 75



TYPE MONOFILAMENT COMPOSITIONS TRUCTURE POLYETHILENE

PLEFACE INEGHT: 75 GZ. MACHINE GAUGE: 3/KIN. TUPEL PLE MEDIT: 1.75 N.

BACKING

PRIMARY INCOME: DOUBLE POLYPROPHLINE SECONDARY INCOME: 20 OF ELACK PRIMINALE UNIT-WANE COMPOSITION/STRUCTURE: 1 LAVER WOMEN PP, 1 LAVER ACTION INCO INTERM: 6 OZ. PRIMIN PD.

FINISH COATING

CONTING: POLYURETHING 20 GZ, PER 1Q, YD, TOTAL PRODUCT INEIGHT: 101 GZ.

PARTICULATE INFILL

TYPE: QUALITY INFILL INFIGHT: 1-3 LBS PERIOD, PT. HEIGHT: APPROXIMATELY 1/2 IN. - 3/2

MANUFACTURED ROLLS

WWW.MAGNOLIATURF.COM

WDTH: 15 FT. APPROXIMATE LENGTH: 100 FT. DRIMAGE RATE: 2400 IN. FER HO TRAFFIC: UDINT TO HEAVY





FEATURED BENEFITS

To Color Affect - Mends 2 uniquely different tanes of grees: Field/Apple/Ulier, replicating the color of real grass which is better than all the other turf products.

Low Learn Filter - Use of a low learn Folgettylee resins incorporate will the UV inhibitors of other higher gloca filters currently in the maskeplace. These solubators after uncompromised resistance to UV exposure which result is a natural looking block that will perform.

FLOW-THRU TURF DRAINAGE 1011 FORMULAR & HOLP FUNCTION WHERE BACKING







SUPREME 90



TYPE MONOFILAMENT OMPOSITION'S TRUCTURE POLYETHYLENE

PLEFACENEEDHT: 90 02. MACHNEGAUGE 3/EN.

BACKING

PRIMARY BACKING: DOLIBLE POLYPROPYLENE SECONDARY RECKING: 22 OZ BLACK PRIMILABLE URITHANE COMPOSITIONSTRUCTURE: 1 LAREN WOMEN PP, 1 LAREN ACTION RAC BEERAT: 6 OZ PREND YOL.

FINISH COATING

CONTINUE POLYURETHANE 20 02. PER 1Q. YD. TOTAL PRODUCT INEXENT: 116 02.

PARTICULATE INFILL

TYPE: QUALITY INFLL MERGET: 1-31.85. PER SQ. FT. HERGET: APPROXMATELY 1 7/8 INCO

MANUFACTURED ROLLS

WWW.MAGNOLIATURF.COM

WDTH: 15 FT. APPROXIMATE LENGTH: 100 FT. DRIVINASE RATE: HOS IN, FER HO TRAFFIC: USHT TO HEAVY





FEATURED BENEFITS

Supreme 90 blends 3 uniquely different times of genes, replicating the color of real gracs better than all other turf products. With the use of a low luctor Polyethylene resist which results in a natural looking blade that will provide resistance to UV reposate.

Due to the high built thatch yorn, Supreme 94 will claim tatoget up and bounce back when compressed. The 5-shaped eliminates weak points in the yorn, creating on unprecedented split mistance.

Smart Row's wide gauge second layer primary backing creater conal opening usid of coating. These could opening collow liquids to poor through the backing while the coating call managers to ecceptuater each backinghol of tudendyaro resulting in July torough alp Julia.

FLOW-THRU TURF BRAINAGE 1021 FORMELINE & HELP-FORCED WHERE BACKING







OLIVE 50



FINISH COATING

CONTING POLYUNETHANE 20 GZ. PER 1Q. YD. 101AL PRODUCT INEIGHT: 71 GZ.

PARTICULATE INFILL

TYPE: QUALITY INRUL WEIGHT: 1-3 LKS, PERSO, FT. HEIGHT: APPROXIMATELY 1/2 - 316 INC

MANUFACTURED ROLLS

WWW.MAGNOLIATURF.COM

WDTH: 15 FT. APPROXIMATE LENGTH: 120 FT. DRIANAGE RATE: HOS IN: PER HOS TRAFFIC: USHT TO MODER



FEATURED BENEFITS

Olive 50 was designed specifically to replicate the lush beauty of natural grass for landscape applications.

The Tidal Wave shaped bloder, have our Luctor Goard** technology that d[Susec the same rays. The results are extremely low luctor and thine along with a very natural appearance.

The 17/8" pile height highlights all the beauty of a lush thick isom that will be the ervy of the neighborhood.

thive Sits Talai Wave yarn system has a combination of field and apple green blades combined with a curly beign and green shatch layer.

FLOW-THRU TURF DRAINAGE 1011 FORMULAR & HOLP FUNCTION WHERE BACKING







OLIVE 75



FEATURED BENEFITS

Olive 75 was designed specifically to realizate the lush beauty of natural grass for landscape applications.

The Tidal Wave shaped blades have our Lucter Guard** technology that diffuses the suns rays. The results are extremely

The 17/0" pile height highlights all the beauty of a lush thick

Olive 75's Tidal Wave vare system has a cambination of field and apple given blades combined with a curly beige and given chatch layer.

FLOW-THRU TURF DRAINAGE III'X FORMARIA & HOLD FUNCTION HOLD BACKING





WEIGHT 1-3 LBS PER 10, FT.

WWW.MAGNOLIATURF.COM



NYLON 50



TIPE MILON COMPOSITION'S TRUCTURE POLYETHYLENE

PLEFACE INEIGHT: 52 CZ. MACHINE GAUGE: 3/E/N. TUPED PLE HEIGHT: 1.5 IN.

BACKING

PRIMARY RECEIVE: WORKIN FOLLIPPICIPILIANE SECONDARY BREKING: POLYMETHANE COMPOSITION/STRUCTURE: 1 LAVER WORKER PP, 1 LAVER ACTION BRACK INTERPIC: S.OZ. PER SQ.YD.

FINISH COATING

CONTING POLYURETHING 20 GZ. HIR 3Q. YD. 107AL PRODUCT MEIGHT: 75 GZ.

PARTICULATE INFILL

TYPE: QUALITY INITLE INEGHT: 1-3 LKS. PER SQ. FT. HEIGHT: APPROXIMATELY 5/2 IN - 3/21

MANUFACTURED ROLLS

WWW.MAGNOLIATURF.COM

WDTH: 15 PT. APPROXIMATE LENGTH: 120 PT. DIMINIAGE RATE: HOS IN. PER HOS TRAFFIC: UDHT TO HEAVY





FEATURED BENEFITS

Hyles Sdt unmatched realism is the most realistic-looking sylon londcage tudj is the industry, thunks to it's advanced live-Color technology, designed to withstand even the hardwate conditions, wort mult or defause from reflective windows and it's built to loss.

Exceeds Class 1 for rating standards as outlined in NRPA.LB Safety-Code 101, with proven misbability in ASIM EA748 metring. This tard meets federal Resembbility Standard CPEC FF-70, encuring safety and peace of mind, with successful testing unde ASIM 2020B.

FLOW-THRU TURF DRAMAGE INTE PERMEASE & HOLD PURCHED WHEN BACKING







NYLON 65



TYPE INLON COMPOSITION'S TRUCTURE POLYSTHYLANS

PLEFACE INFORM: 45 CZ. MACHINE GAUGE: 3/KIN. TUPED PLE HEIGHT: 125 N.

BACKING

PRIMARY RECEIVE: WORKIN FOLVPROPILIARE SECONDARY RECEIVE: POLVIRETHANE COMPOSITION/TRUCTURE: 1 LAVER WORKIN PP, 1 LAVER ACTION RACK INTERPT: SOL PREVIOUS TO.

FINISH COATING

CONTING POLYURETHANE 20 GZ. HIR 1Q. YD. TOTAL PRODUCT INEIGHT: 90 GZ.

PARTICULATE INFILL

TYPE: QUALITY DRILL INEGHT: 1-3 LBS. PER SQ. FT. HEIGHT: APPROXIMATELY S/2 IN - 3/41

MANUFACTURED ROLLS

WWW.MAGNOLIATURF.COM

WDTH: 15 FT. APPROXIMATE LENGTH: 120 FT. DRHINAGE RATE: HOS IN. FER HOS TRAFFIC: UGHT TO HEAVY





FEATURED BENEFITS

Hylan 65's unnasthed realism is the mast realistic-looking sylon landscape surf is the industry, thanks to it's advanced IveColor technology. Designed to withstand even the hardness conditions, work mult or defaunt from reflective window and it's built to loss.

Exceeds Class: 1 for rating standards as outlined in NOPA Life Safety-Code 101, with proven reliability in ACIM EG748 testing. This tard mesos federal Finannability Standard CPEC IF 1-70, ensuring safety and percent of mind, with successful testing under ACIM b2588.

FLOW-THRU TURF DRAMAGE 100 x Permitian & Hole-Purchas where backing







NYLON 80



TIPE INLON COMPOSITIONS TRUCTURE POLYITHYLANI

PLERACE INSIGHT: NO OZ. MACHINE GAUGE: 325 N. TUPED PLE HEIGHT: 2 N.

BACKING

PRIMARY RECEIVE: WORKIN FOLVPROPILIARE SECONDARY RECEIVE: POLVIRETHANE COMPOSITION/TRUCTURE: 1 LAVER WORKIN PP, 1 LAVER ACTION RACK INTERPT: SOL PREVIOUS TO.

FINISH COATING

CONTINUE POLYURETHANE 20 GZ. PER 5Q. YD. 107AL PRODUCT INEIGHT. 105 GZ.

PARTICULATE INFILL

TYPE: QUALITY INITLE INEGHT: 1-3 LKS. PER SQ. FT. HEIGHT: APPROXIMATELY 5/2 IN - 3/21

MANUFACTURED ROLLS

WWW.MAGNOLIATURF.COM

WDTH: 15 FT. APPROXIMATE LENGTH: 100 FT. DIMINIAGE RATE: >000 IN. FER HOL TWEFTC: UDHT TO HEAVY





FEATURED BENEFITS

Hylon Bits unmatched realism is the most realistic-looking cylon landscape tudj is the industry, thanks to it's advanced liv-Color technology. Designed to withstand even the hardnest conditions, wort mile or deform from reflective window and it's built to last.

Exceeds Class 1 for rating standards as outlined in NRPA.LB Safety-Code 101, with proven misbability in ASIM EA748 metring. This tard meets federal Resembbility Standard CPEC FF-70, encuring safety and peace of mind, with successful testing unde ASIM 2020B.

FLOW-THRU TURF DRAMAGE INTE PERMEASE & HOLD PURCHED WHEN BACKING







MACHINE GAUGE: 3/16 IN.

NEIGHT: 7.3 CZ. PER SQ.YD.

ETN15H COATTING

WEIGHT 04 LBS PERSO FT.



FEATURED BENEFITS

Pro Putt is the ultimate putting surface, designed for a higher level of play. Texturized yarns enhance performance and provides an excellent playing surface that is durable, realient and has a

speed and spin ore adjustable to the client's play specs.

Can be installed indoors and autofoars with no maintenance and LV stabilized with top drainger.





PERFORMANCE PLAY



COMPONITION'S TRUCTURE POLYETHIGANE

COMPOSITION/STRUCTURE: 2 LAVERS 13 PIC BLACK NEIGHT: 6 CZ. PER SQ YD.

FINISH COATTING

WEIGHT 1-3 LBS PER 10, FT.



FEATURED BENEFITS

Performance Play is constructed to offer the best of both worldt uting our high performance manafilament 5-állade with a fibrihated Sit Film. 5-Blade with Lutter Guard ribbed

Playwill deliver an excellent standard of play and larger





ELEVATE 48



HEIGHT 1-3 LBS, PER SQ, FT. HEIGHT 31 EN.

MANUFACTURED ROLLS

WDTH: 15 FT. APPROXIMATE LENDTH: 100 FT. DRIVINGE RATE: >14 IN FRE HOL TRAFFIC: HEAVY

NWW. MAGNOLINTURS.COM 🚒 🙆 👷





A significant upgrade to typical turf hitting mats, Magnolia Turf's Hitting Pad combine our modular shock-absorbing rubber foundation with our Performance Turf to provide a realistic experience from tee shots (using a real tee) to wedges.

- · A cost-effective solution for simulator and golf room set ups
- · Turf allows for realistic ball flight and is soft underfacet
- All-rylan fibers are UV resistant and extremely durable
- · Tee up from anywhere on the mat using a standard tee right in the turf
- Modular rubber base provides a solid foundation with unmatched shock absorption and keeps the mat from sliding underfaat
- · Available in our natural looking an-course green calor turf
- · Assembles in just a few easy, tool-free steps
- Custom sizes available





PERFORATED DRAIN MAT



The Perforated Drain Mat consists of a polymeric sheet cuspated under heat and pressure to form a high flow, high compressive strength dimpled drainage core. The core is available as an impermeabile sheet or punched, based on application. Impermeable core works well on slabs/indoor surfaces as it protects unine from being absorbed by the concrete.

4' x 50' (50 lbs epch)

- · Creates open-air space valds that allows unine and other liquids to be washed down through the turf and infill
- Thickness (ASTM D-4716) 0.40 inch
- + Flaw (ASTM D-4716) 21 gallons per minute per foot width





WEED BARRIER CLOTH



The Weed Barrier cloth is a spun bond polypropylene fabric that has a hydrophilic treatment which allows more air and water to pass through thus preventing sunlight and nutrients from reaching the places weeds tend to grow. Suitable for use in flower beds, under walkways, greenhouses, under decks. under artificial tur and much more than the second secon

- Corres in a 6' x 300' Roll
- · Minimizes light penetration suppresses weed growth and prevents weed-seed germination
- Thickness (ASTM D-4716) 0.40 inch
- · UV protected fabric allows air and water to reach plant roots while stopping weeds
- 8 year warranty
- · Safe and easy to install





ENVIROFILL



Envirofill® can be used as infill for artificial grass lawns, playgrounds and putting greens. Smart Fill has a special coating containing antimicrobials to help prevent the growth of bacteria, mold and mildew. It helps keep turf blades standing up and prevents damage to blades.

- · Round shaped coated sond that helps reduce fluid absorption and improve drainage
- · Integrated with anti-microbial that helps control growth of bacteria, mold, and odars.
- improves Turf Life
- Non-Taxic
- Available in 12/20 and 30/ 50 blend





SILICA SAND



Our silica sand is produced in a modern plant, kiln dried and comes in a natural golden color. It's been tested and meets USGA approved requirements for bunker sand. It's perfect for non-pet artificial turf installations. It comes in 12/20 grit and 16/30 grit size.

- Most common infill used for two installation projects
- USGA Approved
- Available in 50 lb bags of 12/20 and 16/20 grit
- Not recommended for pet applications





UNGALVANIZED NAILS



Used to help secure the turf to the base material, non-galvanized nails expand and rust over time - creating a more secure hold.

- Lingalvanized Nails rust so it anchors the turf in place
- 40d Brite Common 5"





LANDSCAPE STAPLE



The U-shaped, 9-Gauge sod staples are ideal for securing artificial turf seams and erosion blankets or geotextiles in place. The legs of the staples are 6 in. long and arch of the staples is 1 in. wide.

- 9 gauge
- 1,000 per box
- . 6 in. Long staples dig into soll or base rack for good grip
- Molds landscope fabrics in place
- · Used for seaming turf and oncharing down the turf
- · Can also be used to secure irrigation hoses







Bender Board is a unique Franing material that can be used to simplify the installation process of artificial grazostrut. If your grazefun needs a boost, perhaps it's time to rethink your edges, For smooth, sinuous curves, it's tough to beat bender board. The plable material flaces easily and is relatively inconspicuous, with its top barely visible aboveground. Bender Board can provide free-form or straight in the primeters.

- Board 1"x 4" x 20" Stakes 1" x 2"x 12"
- Used to separate eross and flower beds durine turf installations
- . Stakes are used to anchor the bender board into the ground
- S stakes to every bender board
- Stake and boards are plastic







Ultrabord Turf Tape is a FFT-based, spun-bonded, nonvoven fahric tape designed specifically to volve with MAPE turk adhesives for seaming synthetic turf. Ultrabord Turf Tape is waterproof and provides superior tensils attergt han tare resistance, which are vial for installations of professional athetic playing fields. It is also perfectly used as a seaming base for other synthetic turf application, including installations of reidenball athetics playing fields.

- 1'x 200'
- · Used to sepre turf together
- · Superior tensile and shear strength
- · Recommended use with Mopel products
- Meets FIFA standards





MAGNOLIA TURF CO PREMIUM SYNTHETIC GRASS PE - 51 ENZYME CLEANER



PF 51 is your natural solution for maximum wasts degradation as my rurface. Our exclusive blends of the sengistered bactura is a reliably afferent from other enzyme channers available. They are resistant to oblerinded product, disinfectants black, and high acid a valiable, contidings and for the sensitivity accurring bacterial sationest fire, non-pathogenic and contains only the naturally accurring bacterial hardreaks 200 blackminical acigon demandia and COO ichemical cargoe meansail 189 with 5 sdys. WII NOC corrols barr, dissolve or eat away the surface by horizontal acids mile demical cargoes demands and eff the 159 avard ______

Neutralizes & eliminates odors fram autidoar spaces
Safe an lawns and landscaping when used as directed
Non-Tasic

WWW.MAGNOLIATURF.COM 🙈 🙆 🕍 👼



Kit includes Cup, Flag and Cover

- Cup is 4-N" wide white USGA regulation golf putting cups.
- Flag is 20" tail & 1/2" in diameter
- Shaft comes with a top handle and a retriever base
- · Banderite aluminum with the most chip-resistant cooting around





GRANDI GROOM TURF RAKE



The Good Goosen: Ther Back is a 14 thone while productional grades are directly grans and explorites that seeming ranks. Unlike and prace to be more, there intropy grants of these and prace is to be assess regulated, within the design of the second maintenances care and prace and explore the second second second second second second maintenances care and prace second second second second second second second maintenances care and prace second second second second second second second maintenances care and prace second second second second second second second maintenances care and prace second second second second second second second maintenances care and prace second second second second second second maintenances second second second second second second second second second maintenances second second second second second second second second maintenances second second

